# *Vaccine Temperature Log*

Free sample from the full kit at greenwolftechlabs.com/vaccine-temperature-log/

Greenwolf Tech Labs

## Refrigerator temperature log (°F)

Facility _____ Unit ID / location _____ Month / year _____ Logger serial / calibration due _____

**Refrigerator: 36 °F to 46 °F** Any current, min or max outside this range is an excursion: notify, label Do Not Use, document. Missed a reading? Leave it blank.

| DAY | START OF WORKDAY | | | | | | END OF DAY (NO MIN/MAX ONLY) | | EXCURSION | ACTION TAKEN / INCIDENT REF |
|---|---|---|---|---|---|---|---|---|---|---|
| | TIME | INITIALS | CURRENT | MIN | MAX | RESET | TIME | CURRENT | | |
| 1 | | | | | | | | | | |
| 2 | | | | | | | | | | |
| 3 | | | | | | | | | | |
| 4 | | | | | | | | | | |
| 5 | | | | | | | | | | |
| 6 | | | | | | | | | | |
| 7 | | | | | | | | | | |
| 8 | | | | | | | | | | |
| 9 | | | | | | | | | | |
| 10 | | | | | | | | | | |
| 11 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 13 | | | | | | | | | | |
| 14 | | | | | | | | | | |
| 15 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 17 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 19 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| 21 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 23 | | | | | | | | | | |
| 24 | | | | | | | | | | |
| 25 | | | | | | | | | | |
| 26 | | | | | | | | | | |
| 27 | | | | | | | | | | |
| 28 | | | | | | | | | | |
| 29 | | | | | | | | | | |
| 30 | | | | | | | | | | |
| 31 | | | | | | | | | | |

Reviewed by (vaccine coordinator) _____ Signature _____ Date _____